

TENDERLUX - 650/620L

TENDERLUX 650 Tenderlux 650 is built by moulding highest quality materials such as epoxy resins, glass, kevlar and carbon fabrics, using the infusion technique, and employing first choice woods, stainless steel, aluminium and titanium accessories, according to the owner's preferences.


Believing that the tender should reflect quality, image and prestige of the yacht that it serves, Naumatec is eager to discuss tailor made solutions requested by the customers.

All these characteristics have been carefully studied to make Tenderlux 650 the ideal tender to serve yachts in the "over 30" meters range.



TECHNICAL SPECS:

Max Length (m):	6,51 reducible to 6,25 (on demand) without affecting internal space
External Beam (m):	2,26 inflated
Max Height (m):	1,25 reducible to 1,15 (on demand)
Dry Weight (kg):	From 1200
Tubes diameter (m):	0,5 - 0,2
Tubes compartments:	5
Max Load (people):	10
Fuel tank capacity (lt):	Up to 95
Engines :	Up to 320 Hp Gasoline Up to 270 Hp Diesel
Transmissions :	Stern Drive Jet (on demand)
Detected speed:	36 Knots with Mercruiser 2.0 170 Hp Diesel 42 Knots with Mercruiser 3.0 230 Hp Diesel 44 Knots with Volvo D3 220 Hp Diesel



ENGINE OPTIONS:

Mercury Diesel 2.0 170 Hp – Bravo 1X
Mercury TDI 3.0 230 Hp V6 – Bravo 1X
Mercury TDI 3.0 260 Hp V6 – Bravo 3 (on demand)

STANDARD EQUIPMENT:

Gelcoat finishing RAL 9010
Tubes in Hypalon "Cream White" colour
Teak coated deck
Retractable navigation light
Full cushions set
Retractable Swimming ladder
Retractable mooring cleats
Eyebolts at stern
Electric tubes inflator
Courtesy kit and fire exhtingisher





OPTIONALS:

Custom colour - Gelcoat
Hull / Deck custom colour - Paint
Custom colour Hypalon tubes
Shower with Water Tank
LOG / Digital Compass
Audio system
GPS chart plotter
VHF
Depth Gauge
Anchor electric Windlass

Deck LED Lights
Underwater Lights
Courtesy Handle
S/S Handrail
Hauling System
Towing reinforced Hook
Water ski pole
Stern Hook
Spray Dodger
Boat Cover
S/S Logo

